


# Spherical roller bearings for industrial applications




# NSK is a World Leader in Spherical Roller Bearings

Today, in all types of industries, designers seek to reduce the sizes and weights of their products, improve their competitiveness and all without loss of reliability. For bearings this invariably means a tougher working regime of increased loads, higher working temperatures, faster speeds, contamination tolerance and longer fit-and-forget operating intervals.



Yet despite these operating conditions, the main requirement on the bearing manufacturer is still to provide longer operating life. Meeting such demands has meant that bearings have moved from being ordinary support and load bearing components to actual performance enhancers in their own right. What is making this possible is the bringing together of materials, software, mechanical design and lubrication technologies to produce ever better bearings.

*Ever better bearings means NSK's latest development in Spherical Roller Bearing – NSK HPS Series.*



# **HPS™** redefining the standard

## **A quantum leap in spherical roller bearing design**

Service life achieved from the NSK HPS can be up to twice any other products available on the market today.

Machine performance and efficiency are enhanced by the high reliability, long life and outstanding performance of these bearings. This makes it possible to reduce machine weight, size and cost by moving to smaller bearings with life equivalent to that of larger bearings.

## **High performance in diverse applications with reduced maintenance costs and more compact design**

HPS spherical roller bearings meet the needs of various equipment for components with reduced maintenance costs and unsurpassed functionality. By taking full advantage of NSK's wealth of experience and expertise, HPS spherical roller bearings realise unprecedented endurance and high limiting speeds to support downsizing while at the same time improving performance and lengthening equipment operating life.



### **Design Technology**

Exclusive NSK design through advanced analytical technology.

### **Material Technology**

Made from NSK's high cleanliness specification steel. Special surface treatment increases resistance to wear.

### **Manufacturing Technology**


The most advanced production system guarantees outstanding quality control.



**Life - up to  
2 times  
the operating life**

**Limiting Speed  
up to  
20% higher**

# Features of HPS Spherical Roller Bearings



- 1 Rollers**  
Increased size and number.
- 2 Inner Ring**  
High-temperature operability.
- 3 Outer Ring**  
High-temperature operability.  
Lubrication groove and holes.
- 4 Cage Flange**  
High limiting speed.
- 5 Cage**  
High-strength pressed steel.  
Special surface treatment.

## Long Life - Lower Maintenance Cost

Maintenance costs are an important factor in reducing total equipment costs. HPS spherical roller bearings realise twice the operating life of conventional products, and longer operating life leads to lower maintenance costs.

## Flexible - Applicable to a variety of applications

With improved cage resistance to wear at higher speeds over longer period of operation, HPS spherical roller bearings deliver high performance to a variety of applications.

## Compact - Contributing to equipment downsizing

Achieving longer operating life can be realised together with the selection of smaller bearings. HPS spherical roller bearings allow compact design for various equipment, thereby supporting the demand for downsizing.




# Technology

**Innovative design drawing upon a variety of technologies leads to high performance in next generation products.**

## **Innovative design developed through enhanced structural analysis**

The HPS cage incorporates a roller guide function in place of a guide ring. Eliminating the guide ring and optimising the design of the inner and outer ring configuration facilitates the placement of additional, larger rollers. Optimised design for the internal specifications and improved press technology greatly increase load capacity, and realise longer life. Special surface treatment further strengthens the cage, reducing wear, heat and friction; it also allows for higher limiting speeds.



Conventional design

HPS

### **Bearing Interior Design Comparison**

Elimination of the guide ring allowed for a design change that improves cage balance and strength.

## **Adoption of state-of-the-art materials**

HPS spherical roller bearings are made from NSK's high-cleanliness Z steel. This steel features greater fatigue strength. In addition, special surface treatment makes it more resistant to wear and more durable in a variety of applications.

## Industrial Solutions NSK Advanced Technology problem solving

**In addition to having the widest range of spherical roller bearing production of any bearing manufacturer, NSK has extensive experience of solving the most difficult application problems with a range of technologies, examples of which are outlined in the following pages.**

NSK is one of the most technologically advanced bearing makers in the world. At the heart of the search for more advanced technologies is a simple idea: make bearings work better in real life, bearings that are more reliable, more efficient and longer lasting. We pursue this idea at our Technology Centres and through our network of technical experts and facilities around the world. The results are shown in better manufacturing processes, cleaner bearing steels, advanced bearing cages and designs, and numerous other innovations.



“make bearings work better in real life, bearings that are more reliable, more efficient and longer lasting.”

# NSK Advanced Technology Molded-Oil™ spherical roller bearings

NSK's patented material Molded-Oil forms the lubricant in this series of bearings. Molded-Oil consists of a lubricating oil suspended in a resin matrix which fills all of the bearing space. It provides a lubricating oil content of more than 50% and offers an excellent lubricating regime. The oil discharge mechanism is temperature dependent; the higher the heat generation, the greater the discharge rate.

## Excellent performance in dust and water contaminated environments

Since the Molded-Oil fills the entire internal space of the bearing, it acts as an effective barrier to the entry of contamination. This leads to extended bearing life and improved reliability.

## Environmentally friendly

Oil slowly seeping from the resin matrix is sufficient to lubricate the bearing. Therefore oil leakage is avoided, as is the need for relubrication.

## Low torque

Before the bearings are filled with Molded-Oil a special surface treatment is applied to the internal surfaces. This enables the rolling elements to rotate more smoothly and therefore allows all Molded-Oil bearings to exhibit a consistent low torque level.


## Continuous lubricant supply

This allows the removal of grease pipework or automatic lubricators in most instances, making the bearings ideal for remote locations where lubrication reliability is paramount.


## Low overall cost

Guaranteed lubrication without the degradation caused by contamination ensures exceptional reliability and longer service life. Thus the combination of reduced maintenance costs and elimination of other lubrication components provides users with excellent cost performance.






### Close up of Molded-Oil



- 1** **Portion containing mostly polyolefin**  
Polyolefin has been used to replace dioxin-generating vinyl chloride, for example in packaging food for supermarkets.
- 2** **Portion containing mostly lubricating oil**  
The lubricating oil is mineral oil-based.

For general use

For high-speed operation



# NSK Advanced Technology Sealed spherical roller bearings

**To meet the diverse challenges of many demanding applications, NSK offer several versions of sealed spherical roller bearings.**


Sealed spherical roller bearings are available in Sealed-Clean or grease replenishing types, with shields or various types of high performance seals. Both types can be supplied with an appropriate long-life bearing grease chosen by our highly experienced engineers.

NSK sealing technology effectively prevents entry of contaminants and different sealing materials are available depending on the operating temperature of the bearing.



***Sealed bearings have many benefits for users:***

- Significant cost savings
- Increased maintenance intervals
- Great reduction in grease consumption
- Prevention of sudden failures due to blocked grease lines
- Environmentally friendly
- No contamination of surroundings



# NSK Advanced Technology Spherical Roller Bearings manufactured from special materials



The new bearing steels and heat treatment technologies developed by NSK provide clear benefits for many industrial applications. From the cleanest bearing steels available to novel wear-resistant processing technologies, the combination of advanced materials and the latest generation internal designs provide unbeatable performance.

## Super-TF Bearing Steel

Field proven in transmissions and steel rolling mills, this versatile product provides long life with significantly less premature failure rates in any application where contaminated lubricant is a problem.

Patented steel composition and heat treatment process enables service life to be extended up to ten times under contaminated conditions, compared to ordinary bearing steel.

The heat treatment process ensures that STF bearings have a 40% increase in seizure resistance over standard bearing steel.

STF material shows outstanding performance under high temperature conditions, providing less temper softening, greater dimensional stability and around four times the life of standard bearing steels. This reduces downtime, bringing improved productivity and lower costs.


## TL Steel

NSK Tough and Long Life (TL) steel was originally developed for Paper Mill dryer cylinders and offers the best cracking resistance of any commonly available material. It is therefore best suited to any application where high inner ring stresses are likely.

### TL Steel offers:

- Significantly better fracture resistance than through hardened or Bainite steel
- A fatigue life over three times that of Bainite steel and more than twice that of carburised steel
- A cost effective solution for bearings, since TL steel is usually only applied to bearing inner rings

## Results of inner ring fracture test



# Spherical Roller Bearings for vibrating equipment - Engineered to be as tough as the conditions

Vibrating equipment bearings available in both NSK and RHP brand are engineered specifically to withstand the shock loading, misalignment and marginal lubrication conditions typical of vibrating machinery applications. This means extra performance when it is needed in mineral crushing, screening and compacting.

Performance enhancements include extra precision on the bore and outside diameter; extremely tight radial clearance tolerance; and superfinished, specially heat-treated rollers with superior shock load capacity.



## Improved reliability

The elimination of the cage guide ring means increased space in the bearing and thus greater grease capacity. The precision one piece machined brass cage dampens vibration and affords better roller guidance.

## Reduced operating costs

The improved design reduces friction, wear and operating temperatures. This increases reliability and bearing life, and cuts maintenance costs.

## Higher operating temperatures

Heat stabilised rings mean these bearings can be used for continuous operation up to 200°C.

## Other features

Reduced bore and outside diameter tolerances together with tightly controlled internal clearances to meet demands of vibrating equipment.

## Increased capacity

The improved internal design allows the inclusion of longer rollers. This gives increased capacity for existing machine design or the option to downsize new designs by using smaller bearings.

**These bearings resist seizure, maintain dimensional stability and resist wear in spite of constant vibration, misalignment and shock loads.**

# Spherical Roller Bearings

## Adding value in industry

**NSK has built a solid reputation for solving the most challenging industrial problems in ways that exceed customer expectations. Extensive experience, accumulated expertise and strict attention to quality control make NSK a world-class supplier.**

**The company's experience in diverse, often difficult, applications, plus proven expertise in many sectors, means that however extreme the working environment, NSK can provide the bearing solution.**



### ***Keeping the steel industry rolling***

NSK keep steel mills running smoothly in spite of the harsh environment and abrasive contaminants.

Molded-Oil™ bearings provide reliable operation on roller tables, eliminating the need for maintenance-intensive centralised lubrication systems and the cost associated with relubrication. A lubricated for life bearing therefore offers substantial reduction in total life costs.

Using sealed spherical roller bearings on continuous casting machines brings life cost reductions by the elimination of premature failures. Also, big savings in consumed grease quantity can be made, along with an associated improvement in environmental protection, cleaner and safer work areas and a reduction in contamination/disposal costs.

The Super-TF bearing technology provides outstanding toughness under harsh conditions. This means a longer, more reliable bearing life in difficult applications such as gearboxes, remote line-shafting and general use in contaminated environments. This means that valuable maintenance resource can be invested elsewhere, instead of replacing premature bearing failures.






## ***Moving mountains in quarrying***

The pressurised, cost-down nature of global business puts every bearing under pressure to perform at higher speeds and under higher loads than ever before. Nowhere is this more evident than in the rigorous environment and duty cycles of quarrying and mining.

The NSK and RHP vibrating screen specification bearings utilise high strength machined brass cages to offer the necessary strength and internal damping that such applications require. Good availability combined with an excellent field reputation enable users to trust the NSK product and service.

Large spherical roller bearings for crushers and mills can be supplied in alternative materials in order to meet specific requirements. Here the experience of specialist NSK engineers can provide appropriate technologies resulting in cost-effective solutions.



## ***Cutting it in the paper industry***

NSK offer industry-leading technology for some of the toughest applications found in paper mills.

At the paper machine wet end, the use of NSK spherical roller bearings with Molded-Oil™ lubricant brings improved reliability without using continuously purging bearings with grease to remove the water. The physical barrier formed by the NSK Molded-Oil, combined with the long lubricant life, provides a very cost-effective, reliable bearing solution.

TL steel bearings originally designed for the dryer section help prevent premature failure of the bearing through inner ring fracture. Normally the progression of fatigue spalling can be tracked with condition monitoring, and thus a machine stoppage planned. However with ring fractures the problem is sudden and unpredictable, leading to unplanned downtime with significant lost production. By virtually eliminating this problem, NSK TL steel bearings provide excellent reliability and safety from unforeseen costs.



## EUROPEAN SALES OFFICES AND JAPAN

### UK

NSK UK LTD.,  
NORTHERN ROAD, NEWARK,  
NOTTINGHAMSHIRE, NG24 2JF  
TEL: +44/ (0)1636 605123  
FAX: +44/ (0)1636 602775  
E-Mail: info-uk@nsk.com

### FRANCE

NSK FRANCE S.A.,  
QUARTIER DE L'EUROPE,  
2 RUE GEORGES, GUYNEMER,  
78283 GUYANCOURT, CEDEX  
TEL: +33/ 1 305 73939  
FAX: +33/ 1 305 70001  
E-Mail: info-fr@nsk.com

### GERMANY

NSK DEUTSCHLAND GMBH,  
HARKORTSTRASSE 15,  
40880 RATINGEN  
TEL: +49/ 2102 4810  
FAX: +49/ 2102 4812290  
E-Mail: info-de@nsk.com

### ITALY

NSK ITALIA S.P.A.,  
VIA GARIBALDI 215,  
20024 GARBAGNATE,  
MILANESE (MILANO)  
TEL: +39/ 02 995 191  
FAX: +39/ 02 9902 5578  
E-Mail: info-it@nsk.com

### POLAND

NSK ISKRA S.A.  
SALES AND MARKETING OFFICE,  
UL. WARSZAWSKA 109, 25-547 KIELCE  
TEL: +48 41 330 38 07  
FAX: +48 41 330 38 30  
E-Mail: info-pl@nsk.com  
www.nsk.com.pl

### SPAIN

NSK SPAIN, S.A.  
C/ TARRAGONA, 161 CUERPO BAJO,  
2A PLANTA, 08014 BARCELONA  
Tel: +34 932 89 27 63  
Fax: +34 934 33 57 76  
E-Mail: info-es@nsk.com

### SCANDINAVIA

NSK NORGE OFFICE,  
ØSTRE KULLERØD 5,  
N-3241 SANDEFJORD  
TEL: +47/ 3329 3160  
FAX: +47/3342 9002  
E-Mail: info-n@nsk.com

### TURKEY

NSK RÜLMANLARI ORTA DOĞU TIC. LTD. ŞTİ.,  
YALI MAH. FEVZI ÇAKMAK CAD.,  
CAĞLAR APT. NO 11/4,  
MALTEPE, İSTANBUL, 34844  
TEL: +90/ 216 442 7106  
FAX: +90/ 216 305 5505  
E-Mail: turkey@nsk.com

### JAPAN

NSK JAPAN LTD.  
NISSEI BLDG., 6-3,  
OHSAKI 1-CHOME SHINAGAWA-KU,  
TOKYO 141-8560  
TEL: +81/ 3 3779 7680  
FAX: +81/ 3 3779 7433

Please also visit our website: [www.eu.nsk.com](http://www.eu.nsk.com)



Every care has been taken to ensure the information in this publication is accurate but no liability can be accepted for any errors or omissions.

© Copyright NSK 2005

The contents of this publication are the copyright of the publishers.  
Printed in England Ref: SR/B/E/E/06.05